




<p>Bullet #18</p> 	<p>Bullet #28</p> 	<p>Bullet #38</p> 
<p>Cord suspension</p>  <p>Cat #18 1/R20 60 watt</p> <p>Cat #28 1/R30 75 watt</p> <p>Cat #38 (Illustrated) 1/R40 150 watt or 1/PLT 42</p>	<p>Ceiling flush</p>  <p>Cat #18F 1/R20 60 watt</p> <p>Cat #28F 1/R30 75 watt</p> <p>Cat #38F (Illustrated) 1/R40 150 watt or 1/PLT 42</p>	<p>Stem suspension</p>  <p>Cat #18 S 1/R20 60 watt</p> <p>Cat #28 S 1/R30, 75 watt</p> <p>Cat #38 S (Illustrated) 1/R40 150 watt or 1/PLT 42</p>
 <p>Cat #18-60 1/R20 60 watt</p> <p>Cat #28-60 (Illustrated) 1/R30 75 watt</p> <p>Cat #38-60 1/R40 150 watt or 1/PLT 42</p>	 <p>Cat #18-602 2/R20 60 watt Cat #28-602 2/R30 75 watt Cat #38-602 2/R40 150 watt or 2/PLT 42</p>	 <p>Cat #18-603 (Illustrated) 3/R20 60 watt Cat #28-603 3/R30 75 watt Cat #38-603 3/R40 150 watt or 3/PLT 42</p>
 <p>Cat #18-54 1/R20 60 watt Cat #28-54 1/R30 75 watt Cat #38-54 (Illustrated) 1/R40 150 watt or 1/PLT 42</p>	 <p>Cat #18-542 2/R20 60 watt Cat #28-542 (Illustrated) 2/R30 75 watt Cat #38-542 2/R40 150 watt or 2/PLT 42</p>	 <p>Cat #18-543 3/R20 60 watt Cat #28-543 (Illustrated) 3/R30 75 watt Cat #38-543 3/R40 150 watt or 3/PLT 42</p>

Consult color chart for available colors. 12" stem or 120" of cord are standard. Other stem and cord lengths available. Three light wall canopies are 20" long with the heads mounted 8" on center. Chrome and PB are available on request. All PLT are made for electronic 4 pin bulbs. Other wattages available consult factory. PL 26 T3 GU 24 socket bases are available on all fixtures. Bulbs not included. Energy Star is available on request. Fixtures are for indoor use, can be made for outdoor use on request. All wall fixtures can be made as a pin up. The pin up comes with 12 ft. cord and plug and a turn switch on the canopy.



Cord suspension



Cat #77
1/R40 150 watt
or 1/PLT 26

Ceiling flush



Cat # 77F
1/R40 150 watt
or 1/PLT 26

Stem suspension



Cat #77 S
1/R40 150 watt
or 1/PLT 26



Cat #77-60
1/R40 150 watt
or 1/PLT 26



Cat #77-602
2/R40 150 watt
or 2/PLT 26



Cat #77-603
3/R40 150 watt
or 3/PLT 26



Cat #77-54
1/R40 150 watt
or 1/PLT 26






Cat #77-542
2/R40 150 Watt
or 2/ PLT 26



Cat #77-543
3/R40 150 watt
or 3/PLT 26

Consult color chart for available colors. 12" stem or 120" of cord are standard. Other stem and cord lengths available. Three light wall canopies are 20" long with the heads mounted 8" on center. Chrome and PB are available on request. All PLT are made for electronic 4 pin bulbs. Other wattages available consult factory. PL 26 T3 GU 24 socket bases are available on all fixtures. Bulbs not included. Energy Star is available on request. Fixtures are for indoor use, can be made for outdoor use on request. All wall fixtures can be made as a pin up. The pin up comes with 12 ft. cord and plug and a turn switch on the canopy.



Cord suspension

Cat #57
1/R20 60 watt

Cat #58
1/R30
75 watt

Cat #59
(Illustrated)
1/R40
150 watt or
1/PLT 42



Ceiling Flush




Cat #57F 1/R20 60 watt
Cat #58F 1/R30 75 watt
Cat #59F (illus.) 1/R40 150 watt or 1/PLT 42

Stem suspension

Cat #57 S
1/R20 60 watt

Cat #58 S
1/R30 75 Watt

Cat #59 S
(Illustrated)
1/R40
150 watt or
1/PLT 42



Line switch
12 ft. cord
& plug



Cat #57L 6" High 1/R20 60 watt
Cat #58L 8" High 1/R30 75 watt
Cat #59L 9 5/8" 1/R40 150 watt or 1/PLT 42



Cat #57-60
1/R20 60 watt

Cat #58-60
1/R30 75 watt

Cat #59-60
(Illustrated)
1/R40 150 watt
or 1/PLT 42



Cat #57-602 2/R20 60 watt
Cat #58-602 (Illustrated) 2/R40 150 watt
Cat #59-602 2/R40 150 watt or 2/PLT42



Cat #57-603 (Illustrated) 3/R20 60 watt
Cat #58-603 3/R30 75 watt
Cat #59-603 3/R40 150 watt or 3/PLT42



Cat #57-54 1/R20 60 watt
Cat #58-54 1/R30 75 watt
Cat #59-54 (Illustrated) 1/R40 150 watt or 1/PLT42




Cat #57-542 2/R20 60 watt
Cat #58-542 (Illustrated) 2/R30 75 watt
Cat #59-542 2/R40 150 watt or 2/PLT42



Cat #57-543 (Illustrated) 3/R20 60 watt
Cat #58-543 3/R30 75 watt
Cat #59-543 3/R40 150 watt or 3/PLT 42

Consult color chart for available colors. 12" stem or 120" of cord are standard. Other stem and cord lengths available. Three light wall canopies are 20" long with the heads mounted 8" on center. Chrome and PB are available on request. All PLT are made for electronic 4 pin bulbs. Other wattages available consult factory. PL 26 T3 GU 24 socket bases are available on all fixtures. Bulbs not included. Energy Star is available on request. Fixtures are for indoor use, can be made for outdoor use on request. All wall fixtures can be made as a pin up. The pin up comes with 12 ft. cord and plug and a turn switch on the canopy.



Cord suspension



Cat # 35
1/R 30 75 watt

Ceiling flush



Cat #35F
1/R30 75 watt

Stem suspension



Cat #35 S
1/R30 75 watt



Cat #35-60
1/R30 75 watt



Cat #35-602
2/R30 75 watt



Cat #35-603
3/R30 75 watt



Cat #35-54
1/R30 75 watt




Cat #35-542
2/R30 75 watt



Cat #35-543
3/R30 75 watt

Consult color chart for available colors. 12" stem or 120" of cord are standard. Other stem and cord lengths available. Three light wall canopies are 20" long with the heads mounted 8" on center. Chrome and PB are available on request. All PLT are made for electronic 4 pin bulbs. Other wattages available consult factory. PL 26 T3 GU 24 socket bases are available on all fixtures. Bulbs not included. Energy Star is available on request. Fixtures are for indoor use, can be made for outdoor use on request. All wall fixtures can be made as a pin up. The pin up comes with 12 ft. cord and plug and a turn switch on the canopy.



Cord suspension



Cat #36
1/R40 150 watt

Ceiling flush



Cat #36F
1/R40 150 watt

Stem suspension



Cat #36 S
1/R40 150 watt



Cat #36-60
1/R40 150 watt



Cat #36-602
2/R40 150 watt



Cat #36-603
3/R40 150 watt



Cat #36-54
1/R40 150 watt




Cat #36-542
2/R40 150 watt



Cat #36-543
3/R40 150 watt

Consult color chart for available colors. 12" stem or 120" of cord are standard. Other stem and cord lengths available. Three light wall canopies are 20" long with the heads mounted 8" on center. Chrome and PB are available on request. All PLT are made for electronic 4 pin bulbs. Other wattages available consult factory. PL 26 T3 GU 24 socket bases are available on all fixtures. Bulbs not included. Energy Star is available on request. Fixtures are for indoor use, can be made for outdoor use on request. All wall fixtures can be made as a pin up. The pin up comes with 12 ft. cord and plug and a turn switch on the canopy.



Cord suspension



Cat # 76
1/R20 60 watt

Ceiling flush



Cat # 76F
1/R20 60 watt

Stem suspension



Cat #76 S
1/R20 60 watt



Cat #76-60
1/R20 75 watt



Cat #76-602
2/R20 75 watt



Cat #76-603
3/R20 75 watt



Cat # 76-54
1/R20 75 watt



Cat #76-542
2/R20 75 watt



Cat #76-543
3/R20 75 watt

Consult color chart for available colors. 12" stem or 120" of cord are standard. Other stem and cord lengths available. Three light wall canopies are 20" long with the heads mounted 8" on center. Chrome and PB are available on request. All PLT are made for electronic 4 pin bulbs. Other wattages available consult factory. PL 23 T3 GU 24 socket bases are available on all fixtures. Bulbs not included. Energy Star is available on request. Fixtures are for indoor use, can be made for outdoor use on request. All wall fixtures can be made as a pin up. The pin up comes with 12 ft. cord and plug and a turn switch on the canopy.