

20001



8.8W A19 LED bulb, CCT selectable,
800 lumens

8.8W | A19 | CCT 27-5 | 800 lm
Dim: Yes | Beam: 220°

20002



12W A19 LED bulb, CCT selectable,
1100 lumens

12W | A19 | CCT 27-5 | 1100 lm
Dim: Yes | Beam: 220°

20003



14W A19 LED bulb, CCT selectable,
1600 lumens

14W | A19 | CCT 27-5 | 1600 lm
Dim: Yes | Beam: 220°

20004



13W A21 Smart LED bulb, 1100
lumens

13W | A21 | CCT 27-5; RGB | 1100 lm
Dim: Yes | Beam: 220°

20005



9.5W BR30 Smart LED bulb, 800
lumens

9.5W | BR30 | CCT 27-5; RGB | 800 lm
Dim: Yes | Beam: 100°

20006



9.5W BR30 LED bulb, 27K, 750
lumens

9.5W | BR30 | CCT 27 | 750 lm
Dim: Yes | Beam: 105°

20007



9.5W BR30 LED bulb, 3K, 750
lumens

9.5W | BR30 | CCT 3 | 750 lm
Dim: Yes | Beam: 105°

20008



9.5W BR30 LED bulb, 4K, 750
lumens

9.5W | BR30 | CCT 4 | 750 lm
Dim: Yes | Beam: 105°

20009



9.5W BR30 LED bulb, 5K, 750
lumens

9.5W | BR30 | CCT 5 | 750 lm
Dim: Yes | Beam: 105°

20010



13W BR40 LED bulb, CCT
selectable, 1075 lumens

13W | BR40 | CCT 27-5 | 1075 lm
Dim: Yes | Beam: 100°

20011



11W PAR30LN LED bulb, CCT
selectable, 1000 lumens, 25° beam

11W | PAR30LN | CCT 27-5 | 1000 lm
Dim: Yes | Beam: 25°

20012



11W PAR30LN LED bulb, CCT
selectable, 1000 lumens, 40° beam

11W | PAR30LN | CCT 27-5 | 1000 lm
Dim: Yes | Beam: 40°

20013



11W PAR30LN LED bulb, CCT
selectable, 1000 lumens, 60° beam

11W | PAR30LN | CCT 27-5 | 1000 lm
Dim: Yes | Beam: 60°

20014



11W PAR30SN LED bulb, CCT
selectable, 1000 lumens, 25° beam

11W | PAR30SN | CCT 27-5 | 1000 lm
Dim: Yes | Beam: 25°

20015



11W PAR30SN LED bulb, CCT
selectable, 1000 lumens, 40° beam

11W | PAR30SN | CCT 27-5 | 1000 lm
Dim: Yes | Beam: 40°

20016



11W PAR30SN LED bulb, CCT
selectable, 1000 lumens, 60° beam

11W | PAR30SN | CCT 27-5 | 1000 lm
Dim: Yes | Beam: 60°

20017



15W PAR38 Smart LED bulb, 1200 lumens 2700K-5000K RGBTW

15W | PAR38 | CCT 27-5; RGB | 1200 lm
Dim: Yes | Beam: 40°

20018



13.3W PAR38 LED bulb, CCT selectable, 1200 lumens, 25° beam

13.3W | PAR38 | CCT 27-5 | 1200 lm
Dim: Yes | Beam: 25°

20019



13.3W PAR38 LED bulb, CCT selectable, 1200 lumens, 40° beam

13.3W | PAR38 | CCT 27-5 | 1200 lm
Dim: Yes | Beam: 40°

20020



13.3W PAR38 LED bulb, CCT selectable, 1200 lumens, 60° beam

13.3W | PAR38 | CCT 27-5 | 1200 lm
Dim: Yes | Beam: 60°

20021



15.5W PAR38 LED bulb, CCT selectable, 1400 lumens, 40° beam

15.5W | PAR38 | CCT 27-5 | 1400 lm
Dim: Yes | Beam: 40°

20022



14 Watt PAR38 LED; White; 120 Volt; PIR Sensor; Non-Dimmable; 3K

14W | PAR38 | CCT 3 | 1100 lm
Dim: No | Beam: 40°

20023



14 Watt PAR38 LED; White; 120 Volt; PIR Sensor; Non-Dimmable; 5K

14W | PAR38 | CCT 5 | 1100 lm
Dim: No | Beam: 40°

20024



12 Watt A19 LED; White; 120 Volt; PIR Sensor; Non-Dimmable; 3K

12W | A19 | CCT 3 | 1050 lm
Dim: No | Beam: 230°

20025



12 Watt A19 LED; White; 120 Volt; PIR Sensor; Non-Dimmable; 5K

12W | A19 | CCT 5 | 1050 lm
Dim: No | Beam: 230°

20026



5 Watt; A15 LED; Frosted; 27K; Medium base; 120 Volt; Dimmable

5W | A15 | CCT 27 | 450 lm
Dim: Yes | Beam: 230°

20027



5 Watt; A15 LED; Frosted; 3K; Medium base; 120 Volt; Dimmable

5W | A15 | CCT 3 | 450 lm
Dim: Yes | Beam: 230°

20028



5.5 Watt; A15 LED; Frosted; 27K; Medium base; 120 Volt; Dimmable

5.5W | A15 | CCT 27 | 450 lm
Dim: Yes | Beam: 230°

20029



5.5 Watt; A15 LED; Frosted; 3K; Medium base; 120 Volt; Dimmable

5.5W | A15 | CCT 3 | 450 lm
Dim: Yes | Beam: 230°

20030



5.5 Watt; A15 LED; Frosted; 4K; Medium base; 120 Volt; Dimmable

5.5W | A15 | CCT 4 | 450 lm
Dim: Yes | Beam: 230°

20031



5.5 Watt; A15 LED; Frosted; 5K; Medium base; 120 Volt; Dimmable

5.5W | A15 | CCT 5 | 450 lm
Dim: Yes | Beam: 230°

20032



6W G25 LED bulb, 27K, 500 lumens

6W | G25 | CCT 27 | 500 lm
Dim: Yes | Beam: 320°

20033



6W G25 LED bulb, 3K, 500 lumens

6W | G25 | CCT 3 | 500 lm
Dim: Yes | Beam: 320°

20034



6W G25 LED bulb, 4K, 500 lumens

6W | G25 | CCT 4 | 500 lm
Dim: Yes | Beam: 320°

20035



6W G25 LED bulb, 5K, 500 lumens

6W | G25 | CCT 5 | 500 lm
Dim: Yes | Beam: 320°

20036



4.5W G25 LED bulb, 27K, 350 lumens

4.5W | G25 | CCT 27 | 350 lm
Dim: Yes | Beam: 320°

20037



4.5W G25 LED bulb, 3K, 350 lumens

4.5W | G25 | CCT 3 | 350 lm
Dim: Yes | Beam: 320°

20038



4.5W G25 LED bulb, 4K, 350 lumens

4.5W | G25 | CCT 4 | 350 lm
Dim: Yes | Beam: 320°

20039



4.5W G25 LED bulb, 5K, 350 lumens

4.5W | G25 | CCT 5 | 350 lm
Dim: Yes | Beam: 320°

20040



5.5W PAR20 LED bulb, CCT selectable, 500 lumens, 40° beam

5.5W | PAR20 | CCT 27-5 | 500 lm
Dim: Yes | Beam: 40°

20041



8 watt light bulb with battery backup built in. 5K

20042



E26 LED post top bulb; 40/30/20 W & 3K/4K/5K selectable; 5.68L x 5.69D

40/30/20W | Corncob | CCT 38415 | 2900-6400 lm
Dim: No | Beam: 120°

20043



E39 LED post top bulb; 60/45/36 W & 3K/4K/5K selectable; 6.57L x 6.63D

60/45/36W | Corncob | CCT 38415 | 5220-9600 lm
Dim: No | Beam: 120°

20044



22W/LED/CCT/100-277V/E26

20045



AP37 LED bulb; 65/32 W & 3K/4K/5K selectable; 120-277 Volt

65/32W | AP37 | CCT 38415 | 4095-8775 lm
Dim: No | Beam: 280°

20046



20W A21 LED bulb, CCT selectable, 120-277 Volt, dimmable (120V only)

20W | A21 | CCT 27/4/5 | 2760-3020 lm
Dim: Yes (120V Only) | Beam: 280°

20047



15W A21 LED bulb, CCT selectable, 120-277 Volt, dimmable (120V only)

15W | A21 | CCT 27/4/5 | 1920-2025 lm
Dim: Yes (120V Only) | Beam: 280°

20048



8.5W A19 LED bulb, 5K, 120V, Dusk to Dawn sensor

8.5W | A19 | CCT 5 | 800 lm
Dim: No | Beam: 200°

20049



8.5W A19 LED bulb, 27K, 120V, Dusk to Dawn sensor

8.5W | A19 | CCT 27 | 800 lm
Dim: No | Beam: 200°

20050



14W PAR38 LED bulb, 3K, 120V, Dusk to Dawn sensor

14W | PAR38 | CCT 3 | 1250 lm
Dim: No | Beam: 40°

20051



14W PAR38 LED bulb, 5K, 120V, Dusk to Dawn sensor

14W | PAR38 | CCT 5 | 1250 lm
Dim: No | Beam: 40°

20052-27K



6.5 Watt; LED R20; 2700K; 107 deg. Beam Angle; Medium base; 120 Volt; Dimmable

6.5W | R20 | CCT 27

20052-3K



6.5 Watt; LED R20; 3000K; 107 deg. Beam Angle; Medium base; 120 Volt; Dimmable

6.5W | R20 | CCT 3

20052-4K



6.5 Watt; LED R20; 4000K; 107 deg. Beam Angle; Medium base; 120 Volt; Dimmable

6.5W | R20 | CCT 4

20052-5K



6.5 Watt; LED R20; 5000K; 107 deg. Beam Angle; Medium base; 120 Volt; Dimmable

6.5W | R20 | CCT 5

20053-9W



9 Watt 1600K Turtle Friendly 585Nm Amber Corncob

9W | Corn Cob | CCT 16

20053-27W



27 Watt 1600K Turtle Friendly 585Nm Amber Corncob

27W | Corn Cob | CCT 16

20053-50W



50 Watt 1600K Turtle Friendly 585Nm Amber Corncob

50W | Corn Cob | CCT 16

20054-27W



27W/LED/CCT/100-277V/E26

20055-25



25 Watt Par 38 LED 3/5K CCT Selectable Med base

25W | Par 38 | CCT 46086 | 3000 lm
Dim: Yes | Beam: 40

20056



5 Watt T6 LED; Clear Finish; E11 Base; 3000K; 120 Volt Mini candelabra

20057



5 Watt T6 LED; Clear Finish; E12 Base; 3000K; 120 Volt Candelabra