



*Primelite Manufacturing Corp.*

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

**IN THE U.S.A.**

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 19/16-957  
Ht. 27" Ext. 43" Dia. 16"  
Max 300 Watt Incandescent



Cat# 19/16-951  
Ht. 32" Ext. 52" Dia. 16"  
Max 300 Watt Incandescent



Cat# 20/12-957  
Ht. 25" Ext. 41" Dia. 12 1/2"  
Max 200 Watt Incandescent



Cat# 20/12-951  
Ht. 31" Ext. 52" Dia. 12 1/2"  
Max 200 Watt Incandescent

All fixtures are available in: Incandescent(standard), Metal Halide, High Pressure Sodium, PL, & LED.  
Pick from any of our standard powder coated colors. See Powder Coated Color Chart. Custom colors on request.  
Other shades are available- see page 3B of this section.



IN THE U.S.A.

# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 23/19-957  
Ht. 26" Ext. 48" Dia. 19"  
Max 200 Watt Incandescent

Cat# 23/24-957  
Ht. 26" Ext. 50 1/2" Dia. 24"  
Max 200 Watt Incandescent



Cat# 23/19-282-957  
Ht. 35 1/2" Ext. 48" Dia. 19" 12" Acrylic globe  
Max 150 Watt Incandescent

Cat# 23/24-282-957  
Ht. 35 1/2" Ext. 50 1/2" Dia. 24" 12" Acrylic globe  
Max 150 Watt Incandescent



Cat# 43/19-957  
Ht. 28" Ext. 45" Dia. 19"  
Max 300 Watt Incandescent

Cat# 43/23-957  
Ht. 29" Ext. 46" Dia. 23"  
Max 300 Watt Incandescent



Cat# 43/19-951  
Ht. 34" Ext. 55" Dia. 19"  
Max 300 Watt Incandescent

Cat# 43/23-951  
Ht. 35" Ext. 56" Dia. 23"  
Max 300 Watt Incandescent



# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

IN THE U.S.A.

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 427/16-962  
Ht. 53" Ext. 28" Dia. 16"  
Max 100 Watt Incandescent

Cat# 427/20-962  
Ht. 53" Ext. 30" Dia. 20"  
Max 200 Watt Incandescent



Cat# 423 WG/16-972  
Ht. 45" Ext. 30" Dia. 16"  
Max 100 Watt Incandescent

Cat# 423 WG/20-972  
Ht. 45" Ext. 32" Dia. 20"  
Max 200 Watt Incandescent



Cat# 427/16-957  
Ht. 20" Ext. 46" Dia. 16"  
Max 100 Watt Incandescent

Cat# 427/20-957  
Ht. 21" Ext. 48" Dia. 20"  
Max 200 Watt Incandescent



Cat# 427/16-972  
Ht. 45" Ext. 30" Dia. 16"  
Max 100 Watt Incandescent

Cat# 427/20-972  
Ht. 45" Ext. 32" Dia. 20"  
Max 200 Watt Incandescent

All fixtures are available in: Incandescent(standard), Metal Halide, High Pressure Sodium, PL, & LED.  
Pick from any of our standard powder coated colors. See Powder Coated Color Chart. Custom colors on request.  
Other shades are available- see page 3B of this section.



IN THE U.S.A.

# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.




Cat# 39/19-964  
Ht. 30" Ext. 51" Dia. 19"  
Max 300 Watt Incandescent

Cat# 39/23-964  
Ht. 31" Ext. 51" Dia. 23"  
Max 300 Watt Incandescent



Cat# 39/19-962  
Ht. 53" Ext. 29" Dia. 19"  
Max 300 Watt Incandescent

Cat# 39/23-962  
Ht. 53" Ext. 30" Dia. 23"  
Max 300 Watt Incandescent



Cat# 23/19-964  
Ht. 30" Ext. 51" Dia. 19"  
Max 200 Watt Incandescent

Cat# 23/24-964  
Ht. 32" Ext. 51" Dia. 24"  
Max 200 Watt Incandescent



Cat# 23/19-971  
Ht. 28 1/2" Ext. 26 1/2" Dia. 19"  
Max 200 Watt Incandescent

Cat# 23/24-971  
Ht. 28 1/2" Ext. 29" Dia. 24"  
Max 200 Watt Incandescent



# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

IN THE U.S.A.

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 23/19-951  
Ht. 30" Ext. 56 1/2" Dia. 19"  
Max 200 Watt Incandescent

Cat# 23/24-951  
Ht. 30" Ext. 59" Dia. 24"  
Max 200 Watt Incandescent



Cat# 23/19-962  
Ht. 53" Ext. 30" Dia. 19"  
Max 200 Watt Incandescent

Cat# 23/24-962  
Ht. 53" Ext. 32 1/2" Dia. 24"  
Max 200 Watt Incandescent



Cat# 30/20WG-951  
Ht. 30" Ext. 57" Dia. 20"  
Max 200 Watt Incandescent



Cat# 26/8-5 WG-971  
Ht. 30" Dia. 5 1/2"  
Max 200 Watt Incandescent  
-4=Clear, -5=Frosted



*Primelite Manufacturing Corp.*

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

IN THE U.S.A.

**Extra Heavy Gooseneck Wall Brackets**

All heads and arms are interchangeable. 1" NPT male threads are on top. Other shades are available- see page 3B of this section for additional shade selection.

 <p>Cat# 20D Dia. 9 1/2" Ht. 13"</p> <p>Cat# 20/12D Dia. 12 1/2" Ht. 14 1/2"</p>	 <p>Cat# 19D Dia. 12" Ht. 14"</p> <p>Cat# 19/16D Dia. 16" Ht. 15"</p>	 <p>Cat# 23/19D Dia. 19" Ht. 11"</p> <p>Cat# 23/24D Dia. 24" Ht. 11"</p>	 <p>Cat# 41/12D Dia. 12" Ht. 12"</p> <p>Cat# 41/14D Dia. 14" Ht. 13"</p> <p>Cat# 41/16D Dia. 16" Ht. 14 1/2"</p> <p>Cat# 41/18D Dia. 18" Ht. 15 1/2"</p>
 <p>Cat# 26/8D Dia. 5 1/4" Ht. 12" -4=Clear, -5=Frosted</p>	 <p>Cat# 26/8 WGD Dia. 5 5/8" Ht. 13" -4=Clear, -5=Frosted</p>	 <p>Cat# 423/16 WGD Dia. 16" Ht. 11 1/2"</p> <p>Cat# 423/20 WGD Dia. 20" Ht. 12 1/2" -4=Clear, -5=Frosted</p>	 <p>Cat# 30/16 WGD Dia. 16" Ht. 11"</p> <p>Cat# 30/20WGD Dia. 20" Ht. 11" -4=Clear, -5=Frosted</p>
 <p>Cat# 39/19D Dia. 19" Ht. 10 1/2"</p> <p>Cat# 39/23D Dia. 23" Ht. 12 1/2"</p>	 <p>Cat# 43/19D Dia. 19" Ht. 22"</p> <p>Cat# 43/23D Dia. 23" Ht. 26"</p>	 <p>Cat# 427/16D Dia. 16" Ht. 12"</p> <p>Cat# 427/20D Dia. 20" Ht. 16" -4=Clear, -5=Frosted</p>	 <p>Cat# 30/16D Dia. 16" Ht. 7 1/2"</p> <p>Cat# 30/20D Dia. 20" Ht. 7 1/2"</p>
 <p>Cat# 23/19-282D Dia. 19" Ht. 17 1/2"</p> <p>Cat# 23/24-282D Dia. 24" Ht. 17 1/2"</p>	 <p>Cat# 286D Dia. 16"</p> <p>Cat# 288D Dia. 18"</p> <p>Cat# 290D Dia. 20"</p> <p>Cat# 292D Dia. 22"</p> <p>Cat# 294D Dia. 24"</p>	 <p>Cat# 1225D Dia. 14" Ht. 25 1/2"</p>	



# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website


(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

IN THE U.S.A.

## Extra Heavy Gooseneck Wall Brackets

These wall brackets are made from 1 1/2" Sch 40 pipe. They measure almost 2" in diameter.  
Custom sizes and configurations available.

Cat# 951  
Ht. 30" Ext. 47"



Cat# 957  
Ht. 17" Ext. 38 1/2"



Cat# 970  
Ht. 17" Ext. 28"



Cat# 964  
Ht. 19" Ext. 51"



Cat# 962  
Ht. 53" Ext. 20"



Cat# 971  
Ht. 17 1/2" Ext. 17"



Cat# 972  
Ht. 45" Ext. 23"



Pick from any of our standard powder coated colors. See Powder Coated Color Chart. Custom colors on request.



IN THE U.S.A.

# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

## Extra Heavy Gooseneck Wall Brackets

These wall brackets are made from 1 1/2" Sch 40 pipe. They measure almost 2" in diameter.  
Custom sizes and configurations available.



Cat# 1963  
Ht. 25 1/2" Ext. 20"  
3" Post Fitter



Cat# 1959  
Ht. 25 1/2" Ext. 20"  
3" Post Fitter



Cat# 1962  
Ht. 28" Ext. 19"  
3" Post Fitter



Cat# 1960  
Ht. 25 1/2" Ext. 40"  
3" Post Fitter



Cat# 1961  
Ht. 25 1/2" Ext. 40"  
3" Post Fitter





*Primelite Manufacturing Corp.*

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

IN THE U.S.A.

### Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 41/12-1963  
Ht. 25 1/2" Ext. 26" Dia. 12"  
14", 16", 18" Dia. available  
3" Post Fitter



Cat# 41/12-1962  
Ht. 28" Ext. 25" Dia. 12"  
14", 16", 18" Dia. available  
3" Post Fitter



Cat# 423/20WG-1963  
Ht. 25 1/2" Ext. 30" Dia. 20"  
16" Dia. available  
3" Post Fitter



Cat# 423/20WG-1962  
Ht. 28" Ext. 29" Dia. 20"  
16" Dia. available  
3" Post Fitter

All fixtures are available in: Incandescent(standard), Metal Halide, High Pressure Sodium, PL, & LED.  
Pick from any of our standard powder coated colors. See Powder Coated Color Chart. Custom colors on request.  
Other shades are available- see page 3B of this section.



IN THE U.S.A.

# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 427/20-1963  
Ht. 21 1/2" Ext. 30" Dia. 20"  
16" Dia. available  
3" Post Fitter



Cat# 427/20-1961  
Ht. 21 1/2" Ext. 60" Dia. 20"  
16" Dia. available  
3" Post Fitter



Cat# 1225/1959  
Ht. 39 1/2" Ext. 27" Dia. 14"  
3" Post Fitter



Cat# 1225/1960  
Ht. 39 1/2" Ext. 54" Dia. 14"  
3" Post Fitter



*Primelite Manufacturing Corp.*

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

IN THE U.S.A.

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 39/19-1963  
Ht. 25 1/2" Ext. 29 1/2" Dia. 19"  
23" Dia. available  
3" Post Fitter



Cat# 39/19-1961  
Ht. 25 1/2" Ext. 59" Dia. 19"  
23" Dia. available  
3" Post Fitter



Cat# 30/20WG-1963  
Ht. 25 1/2" Ext. 30" Dia. 20"  
16" Dia. available  
3" Post Fitter



Cat# 30/20WG-1962  
Ht. 28" Ext. 29 1/2" Dia. 20"  
16" Dia. available  
3" Post Fitter

All fixtures are available in: Incandescent(standard), Metal Halide, High Pressure Sodium, PL, & LED.  
Pick from any of our standard powder coated colors. See Powder Coated Color Chart. Custom colors on request.  
Other shades are available- see page 3B of this section.



IN THE U.S.A.

# Primelite Manufacturing Corp.

407 South Main Street  
Freeport, N.Y. 11520

Phone  
Fax  
Website

(516) 868-4411  
(516) 868-4609  
www.primelite-mfg.com

## Extra Heavy Gooseneck Wall Brackets

Extra thick gooseneck arms with extra-large shades. These arms are almost 2" in diameter.  
All aluminum construction.



Cat# 1286N/3-1963  
Ht. 30 1/2" Ext. 28" Dia. 16"  
18", 20", 22", & 24" Dia. available  
3" Post Fitter



Cat# 1286N/3-1961  
Ht. 30 1/2" Ext. 56" Dia. 16"  
18" - 24" Dia. available  
3" Post Fitter



Cat# 23/19-1962  
Ht. 25 1/2" Ext. 28 1/2" Dia. 19"  
24" Dia. available  
3" Post Fitter



Cat# 39/19-1962  
Ht. 25 1/2" Ext. 28 1/2" Dia. 19"  
23" Dia. available  
3" Post Fitter