


REPLACEMENT PARTS & ACCESORIES

PART	DESCRIPTION
LED BULBS	
G40	Clear
G16 ½	Clear
6 Watt	Silver tip
6 & 9 Watt	Vintage
6,9 & 15 Watt	Omni Directional A style
40 Watt	Vintage
15W 4ft bypass	
54W 8ft bypass	
5.8 Watts	5K A19 450 lumens
9 Watt	5K A19 760 lumens
15 Watt	5K A19 1600 lumens
15 Watt	Color changeable 27-5 K A19 RGB 1100 lumens
27,36,45 Watt	3K, 4K, 5K Selectable Corn Cobb E26 3700, 5040, 6300 lumens
CHAIN	18" of chain provided standard and then in increments of 12". Add "C" to the number. Specify finish.
CABLE SUPPORT	
CONVENIENCE OUTLET	
VINYL CORD Standard colors: White or Black	3 wire white or black cord SVT 120" long standard on all pendant fixtures For each additional 12" over 120" on standard or specialty colors Specialty colors: Blue, Gray, Silver, Red.
CORD & PLUG	10 ft. SVT cord with plug
CLOTH CORD	10 ft. UL cloth cord available: Beige, Black, Brown, Blue, Green, Gray, Neon Green, Navy Blue, Pink, Red, Teal, Yellow, White. (other colors on request)
COVERS	For #19, #20 and #37/16 shades
CUSTOM BEND ARMS	In up to 30", 48" and 84" total lengths for 850 through 862 series, ½ IPS arms
FLUSH	Add "F" to fixture number, please specify finish.
EYE HOOK	
EXTERIOR FLUSH "EF"	Cast aluminum flush canopy 4" Neck Holder, 6" Neck Holder and 8" Neck Holder
MOGUL SOCKET	
PIN SWITCH	On Off switch
PIN UP	Add "pin up" to fixture number-6ft cord-plug line switch
PLUG	Heavy 3 wire rubber plug
PULL CHAIN SOCKET	
POST TENON ADAPTERS	To convert post tenon to other sizes
STEMS	For stem and canopy information see pages 91-92 & 93
SWAG	15 ft. of 2 wire SPT, 12 ft. chain, 2 swag hooks, line switch and plug
SWIVELS	1/8" IPS and 1/2" IPS 90 degrees
THREADED TOPS	1/2" and 3/4" Hubs
WIRE	Per foot

REPLACEMENT PARTS & ACCESORIES

Cast Aluminum Contour Holders to fit 3" outside diameter posts



CATALOG #	FOR
NLH 1	5 1/4" Hole
NLH 2	8 1/2" Hole

Contour Holders

For holders to fit other post sizes call for more information.

Cast Aluminum Necked & Threaded Holders to fit 3" outside diameter posts



CAT. #	FOR
NH	3 1/4" Neck Fitter
NH 1	4" Neck Fitter
NH 2	6" Neck Fitter
NH 3	8" Neck Filter



CAT. #	FITS
B	8" necked globes
SBP	6" Necked globes*
SH	8" Necked globes*

***Other fitter sizes available**



CAT. #	FITS
TH	3 1/4" Threaded


Polycarbonate Twist Lock Holders for 3" outside diameter posts



CATALOG #	DESCRIPTION
TL 1	4" Twist Lock
TL 2	5 1/4" Twist Lock


Available in Black or White

***Less Globe: Everything Less Globe**



**Neckless
GlobeHolder**

PART #	GLOBE SIZE	SIZE
436 LG	6"	3 1/4" Hole
276 Threaded LG*	6", 8" Threaded	3 1/4" Threaded
280 LG*	8", 10"	4" Hole
282 LG*	12" through 16"	5 1/4" Hole
288 LG*	18" through 36"	8 1/2" Hole
250 LG*	8"-12"	4" Neck Holder
254 LG*	14"-18"	6" Neck Holder



**School House
Necked Holder**

PAINT

POWDER COATED FINISHES

Painted finishes are available at regular price for most fixtures

Standard colors: **Almond, Aluminum, Blue (Dark, Light), Black, Brown, Bronze, Copper, Gold, Gray, Green, Hunter Green (Dark Green), Orange, Pink, Red, Turquoise, Verdi Green, White, Yellow ***

*** For color details see the Oven Baked Standard Powder Coated Color Chart**

SPECIAL MATCHING COLORS

Special matching colors are available...add 15% to price.

Verdi Green Rub is available...add 15% to price.



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com

S T E M S

Solve your problems with fixtures-track-fluorescent-fans
Stems are cut to specification lengths with or without threaded ends in a Variety of
diameters and finishes.

For color details see the **Oven Baked Powder Coated Color Chart**
(<https://primelite-mfg.com/colorchart.pdf>)

Custom cut, finished with 3/4" thread on each side. Stems are fabricated to meet your
requirements. Stems are used in FIXTURES, TRACK, FLOURESCENT & FAN LIGHTS.
Maximum single piece length is 12 feet. Stems are available in the following I.P.S. sizes:

1/8, 1/4, 3/8 and 1/2 inch I.P.S.

UNIVERSAL TRACK ADAPTOR - to suspend all types of track on 1/4 I.P.S.

Couplers in polished brass, chrome or colors - 1/8 & 1/4 I. P. S
--

Couplers in polished brass, chrome or colors - 3/8 I. P. S
--

Couplers in painted colors only - 1/2 I.P. S.

Couplers, aluminum - 3/4 I.P.S.

Finishes: Painted Colors **CATALOG # 1018-**

PIPE SIZE 1/8 I.P.S. Material: Steel - Used on Standard Fixtures.

Outside Diameter 3/8

Inside Diameter 1/8



Finishes: Painted Colors **CATALOG # 1014-**

PIPE SIZE 1/4 I.P.S. Material: Aluminum - Used on Suspending Halo & other Track

Outside Diameter 1/2

Inside Diameter 1/4





Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com

S T E M S

Finishes: Painted Colors **CATALOG # 1038-**

PIPE SIZE 3/8 I.P.S. Material: Aluminum Used on Suspending Fluorescent & Incandescent Fixtures

Outside
5/8

Inside
3/8



Finishes: Painted Colors **CATALOG # 1012-**

PIPE SIZE 1/2 I.P.S. Material: Aluminum. Used on Garden Fixtures & Fan lights

Outside
Diameter
3/4

Inside
Diameter
1/2



Finishes: Painted Colors **CATALOG # 1034-**

PIPE SIZE 3/4 I.P.S. Material: Aluminum

Outside
Diameter
1

Inside
Diameter
3/4




UNLESS OTHERWISE SPECIFIED, PIPE WILL BE THREADED 3/4" ON BOTH ENDS

SLEEVES FOR STEM. 1" DIAMETER- OPEN BOTH ENDS (INCLUDES 1/8" INSIDE STEM)

Plain tube-Longest length 10ft

Rope tube- Longest length 5ft





Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609


Web Page: www.primelite-mfg.com

Canopies

All indoor stem fixtures are made with 1/8 I.P.S. Stem.


All outdoor fixtures are made with 1/4 I.P.S. stem and spun aluminum canopy- unless otherwise requested.

Canopy sets come with steel canopy, cross bar hang straight, screws and nuts for box mount. * Indoor canopies: PB, Chrome and Painted colors * Outdoor canopies: Painted Colors Only



Cat. #	Description
1001	Canopy with hang straight for 1/8 I.P.S. Stem
1002	Canopy with hang straight for 1/4 I.P.S. Stem
1003	Canopy with hang straight for 3/8 I.P.S. stem
1004	Canopy with ball aligner for 1/2 I.P.S. stem
1005	Canopy with ball aligner for 3/4 I.P.S. stem

Slip ring canopy sets come with steel canopy, slip ring and gem bar for box mount.



Cat. #	Description
1006	Canopy with slip ring for 1/8 I.P.S. stem
1007	Canopy with slip ring for 1/4 I.P.S. stem
1008	Canopy with slip ring for 3/8 I.P.S. stem
1009	Cast canopy threaded for 1/2 I.P.S. Stem

For matching stem price list see pages 91-92



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com

SPECIALTY CANOPIES




Catalog Number	Size	Description
BC	9" W x 8" Deep	Ballast Canopy



Catalog Number	Size	Description
LPL	11 3/4" W x 2" Deep	Large PL Canopy



Catalog Number	Size	Description
SPL	6 1/2" W x 2 1/2" Deep	Small PL Canopy




Part Number	Description
EI	8" cast canopy for 1/2 IPS pipe
SI	6" cast canopy for 1/2 IPS pipe
OS	Old style canopy welded to arm



Catalog Number	Size	Description
1010	3" Wide x 5 3/4" High	Canopy cover for gooseneck fixtures



Catalog #	Description
1016	Heavy Duty Canopy




Catalog #	Description
1023	5" smooth Canopy with gem bar, lock up and nipple

←—————→
D i f f u s e r g l a s s f o r u p & d o w n l i g h t s



Catalog Number	Description
54-622 ECVO	4" square
55-622 ECVO	5" round
59-622 ECVO	6" round
59-622 ETCVO	6" round tempered
6-622 ECVO	6" square
6-622 ETCVO	6" square tempered




Primelite Manufacturing Corp.

407 South Main St. **Replacement Acrylic, Polyethylene & SuperLex Globes**
Freeport, NY. 11520

Phone (516) 868-4411
Phone (800) 327-7583
Fax (516)868-4609



- 1) Custom Opening Cut to Specification
- 2) Relamping Hole Cut to Specification
- 3) Metal Necks Attached to Globe 3 1/4" to 6"
- 4) Metal Necks Attached to Globe 6 1/4" to 10 1/2"
- 5) Finial Hole, Weep Hole & Ventilation Hole
- 6) Finials for globe
- 7) 6" & 8" Globes with Threaded Necks add GTO to number



Acrylic Globes Neckless

Globe Dia.	Catalog Number	Hole Size
6"	276- GO	3 1/4"
8"	278- GO	4"
10"	280- GO	4" OR 5 1/4"
12"	282- GO	5 1/4"
14"	284- GO	5 1/4"
16"	286- GO	5 1/4"
18"	288- GO	5 1/4"
20"	290- GO	8 1/2"
22"	292- GO	8 1/2"
24"	294- GO	8 1/2"
27"	297- GO *	8 1/2"
30"	300- GO *	8 1/2"
36"	306- GO *	8 1/2"

Add suffix for acrylic globe color:

-1 Smoke, -3 White, -4 Clear

*Have horizontal seams

Acrylic Necked & Threaded


Globe Dia.	Catalog Number	Fitter Size
6"	276- GTO	3 1/4"
6"	276- GNO	3 1/4"
8"	278- GTO	3 1/4"
8"	278- GNO	4"
10"	280- GNO	4"
12"	282- GNO	4"
14"	284- GNO	6"
16"	286- GNO	6"
18"	288- GNO	8"
20"	290- GNO*	8"
22"	292- GNO	9"
24"	294- GNO	9"

Add suffix for acrylic globe color:

-1 Smoke, -3 White, -4 Clear

*20" smoke globe comes with a 6" neck

Smoke not available on the 24", 27", 30" and 36" acrylic globes.



Globe Dia.	Catalog Number	Fitter Size
10"	280- TW	4"
12"	282- TW	5 1/4"
14"	284- TW	5 1/4"
16"	286- TW	5 1/4"

Add suffix for acrylic globe color:

-1 Smoke, -3 White

Polyethylene Neckless/ White only

Globe Dia.	Catalog Number	Opening
6"	466 GO	2 3/4"
8"	468 GO	4"
10"	470 GO	4"
10"	470 GO-5	5 1/4"
12"	472 GO	5 1/4"
14"	474 GO	5 1/4"
16"	476 GO	5 1/4"
18"	478 GO	5 1/4"
20"	480 GO	8 1/2"
22"	482 GO	8 1/2"
24"	484 GO	8 1/2"
30"	490 GO	8 1/2"
36"	496 GO	8 1/2"

Polyethylene Necked & Threaded/ White only

Globe Dia.	Catalog Number	Neck Size
6"	466 GNO	3 1/4"
6"	466 GTO	3 1/4"
8"	468 GNO	4"
8"	468 GTO	3 1/4"
10"	470 GNO	4"
12"	472 GNO	4"
14"	474 GNO	6"
16"	476 GNO	6"
18"	478 GNO	8"
20"	480 GNO	8"
24"	484 GNO	6"

Globes with 3 1/4" threaded adapter

Acrylic	
10"	280 GTO
12"	282 GTO
14"	284 GTO
16"	286 GTO

Polyethylene

Dia.	Catalog #
12"	472 GTO
14"	474 GTO
16"	476 GTO

SuperLex (Polycarbonate) Globes Neckless

Globe Dia.	Catalog Number	Hole Size
8"	778- GO	4"
10"	780- GO	4" OR 5 1/4"
12"	782- GO	5 1/4"
14"	784- GO	5 1/4"
16"	786- GO	5 1/4"
18"	788- GO	5 1/4"
20"	790- GO	8 1/2"
22"	792- GO+	8 1/2"
24"	794- GO+	8 1/2"

SuperLex (Polycarbonate) Globes Necked

Globe Dia.	Catalog Number	Fitter Size
6"	776- GNO*	3 1/4"
8"	778- GNO	4"
10"	780- GNO	4"
12"	782- GNO	6" or 4" Metal Neck
14"	784- GNO	6"
16"	786- GNO	6"
18"	788- GNO	6"
20"	790- GNO	6"
22"	792- GNO+	9"
24"	794- GNO+	9"

Add suffix for SuperLex globe color: -1 Smoke, -3 White, -4 Clear / * 6" Clear and White only, globe has seam / + white and clear only



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com

Replacement Glass Globes & Cubes

DOMESTIC GLASS GLOBES

Neckless Globes



Glass Dia.	Catalog Number *	Opening
6"	436- GO	3 1/4"
8"	438- GO	4"
10"	440- GO	4"
10"	440-GO5	5 1/4"
12"	442- GO	5 1/4"
14"	444- GO	5 1/4"
16"	446- GO	5 1/4"

Necked - Opal


Glass Dia.	Catalog Number *	Neck Size
6"	436- GNO	3 1/4"
6"	436-3 GTO	3 1/4"
8"	438- GNO	4"
10"	440- GNO	4"
12"	442- GNO	4"
14"	444- GNO	6"
16"	446- GNO	6"
18"	448- GNO	8"



* Add suffix for globe color: -1 Smoke, -3 White, and -4 Clear

IMPORTED GLASS GLOBES WHITE ONLY

Neckless Globes Imported




Glass Dia.	Catalog Number *	Opening
8"	438-3 GOI	4"
10"	440-3 GOI	4"
12"	442-3 GOI	5 1/4"
14"	444-3 GOI	5 1/4"

Necked Globes Imported




Glass Dia.	Catalog Number *	Neck
8"	438-3 GNOI	4"
10"	440-3 GNOI	4"
12"	442-3 GNOI	4"
14"	444-3 GNOI	6"

SCHOOL HOUSE GLASS



Glass Dia.	Ht.	Catalog Number	Neck Size
7.5"	6 1/2"	248 GOS	4"
10"	6 1/2"	250 GOS	4"
12"	7 1/4"	252 GOS	4"
14"	8 1/4"	254 GOS	6"
16"	9"	256 GOS	6"
18"	12"	258 GOS	6"

DECO GLASS



Cat. #	Dia.	Neck	Ht.
347 GNO	12"	6"	18"



Cat. #	Dia.	Neck	Ht.
348 GNO	10 1/4"	6"	20"

SEMI HEMI



Cat. #	Size	Neck
378 GNO	8 1/2" x 6 1/2"	4"
380 GNO	10" x 6 1/2"	4"
382 GNO	12" x 7 1/2"	6"
384 GNO	14" x 8 1/2"	6"
386 GNO *	16" x 9 1/2"	6"

* Stem mounted only



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com

REPLACEMENT PARTS



POLYCARBONATE CYLINDERS

Dia.	Length	Catalog Number	Fitter Size
3 1/4"	6"	1165 PC GO	3 1/4"
3 1/4"	8"	102 GO	3 1/4" Threaded



ACRYLIC SCHOOL HOUSE GLOBES

Dia.	Catalog Number	Fitter Size
12"	452 GNO	4"
14"	454 GNO	6"
16"	456 GNO	6"
18"	458 GNO	6"



POLYETHYLENE ELLIPSOIDS

Globe Size	Catalog Number	Hole
16" x 8"	487 GO	5 1/4"
26" x 14"	488 GO	8 1/2"
33" x 18"	489 GO	8 1/2"



ACRYLIC ELLIPSOIDS

Globe Size	Catalog Number	Hole
16" x 8"	587- GO	5 1/4"
26" x 14"	588- GO	8 1/2"
33" x 18"	589- GO	8 1/2"

Add suffix for ellipsoid color: -1 Smoke, -3 White, -4 Clear

Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411


Phone (800) 327-7583

Fax (516) 868-4609

Replacement Shades & Globes

Web Page: www.primelite-mfg.com

Acrylic Prismatic Globes Neckless (GO) and Necked (GNO)




Dia.	Cat. Number	Hole
6"	136 GO	3 1/4"
8"	138 GO	4"
10"	140 GO	5 1/4"
12"	142 GO	5 1/4"
16"	146 GO	5 1/4"
18"	148 GO	8 1/2"
20"	150-4 GO	8 1/2"



Dia.	Cat. Number	Neck
6"	136 GNO	3 1/4"
6"	136 GTO*	3 1/4"
8"	138 GNO	4"
8"	138 GTO*	4"
10"	140 GNO	4"
12"	142 GNO	4"
16"	146 GNO	6"
18"	148 GNO	8 1/2"
20"	150-4 GNO	8 1/2"

*GTO= threaded neck globe



Acrylic replacement shades

Dia.	Cat. Number	Hole Size
12"	161-1124 GO	5 1/4"
16"	161-1164 GO	6 1/2"
22"	161-1224 GO	10 1/2"



Cat. Number
Finial for Acorns
Attached

Acrylic Bottom Lens for 161 & 181 Series

Dia.	Cat. Number
12"	161-1124- BL
16"	161-1164- BL
22"	161-1224- BL
16"	37/16 BL

Add -1 for Clear or -2 for Prismatic

Clamp Band for 181 Series

Dia.	Cat. Number
12"	181-1124 CB
16"	181-1164 CB
22"	181-1224 CB


Polycarbonate Street Lighting.



1215
1216



1217
1218



1219
1221



1224

Catalog Number	Globe Size	Neck Size
1215 GNO	24" x 13"	8"
1216 GNO	26" x 16"	8"
1217 GNO	18" x 13"	8"
1218 GNO	20" x 16"	8"
1219 GNO	20" x 13"	8"
1221 GNO	23" x 15"	8"
1224 GNO	10" x 7"	4"
1225 GNO*	21" x 14"	8"
1225/5 GNO	21" x 14"	8"
1226 GO	16" x 11"	5 1/4" hole
1227 GNO	25" x 17"	8"
1228 GO	11x12	5 1/4 hole
1228 GNO	12x12 1/2"	8"
1229 GNO	27" x 16"	8"
1230/4 GNO	21" x 17"	8"
1230/5 GNO	21" x 17"	8"
1235 GNO	25" x 16"	8"
1271 GNO	20" x 14"	8"

*Available in white acrylic

Polyethylene Street Lighting

1426 GO	16" x 11"	5 1/4" hole
1450 GNO	21" x 14"	8" neck
1451 GNO	25" x 17"	8" neck
1452 GNO	20" x 13"	8" neck



1225
1227




1228 GO



1228 GNO



1230



1450
1451



1226
1426




1452



1271



1235




Part #	Description
DSS	Dark sky shield



Light Lid	Perforated
Light Lid	Non Perforated

Neckless Cubes



Soft Corners

Soft Corners Acrylic

Cube Dia.	Catalog Number	Hole
8"	508- * GO	4 1/2"
10"	510- * GO	5 1/4"
12"	512- * GO	8 1/2"
15"	515- * GO	8 1/2"

*Add suffix for color: -1 Smoke, -3 White, -4 Clear



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com


Replacement Glass Shades, Cylinder & Diffusers



Dia.	Catalog Number	Fitter Size
10"	360 GNO	4"
12"	362 GNO	4"
14"	364 GNO	6"
16"	366 GNO	6"
18"	368 GNO	6"



Dia.	Catalog Number	Fitter Size
12"	372 GNO	6"
14"	374 GNO	6"



Dia.	Catalog Number	Fitter Size
10"	390 GNO	4"
12"	392 GNO	4"
14"	394 GNO	6"
16"	396 GNO	6"



Type III and Type V

Light distribution Borosilicate Diffuser for globes or street lights

Catalog Number
Type III
Type V




White Glass Cylinders

Height	Catalog Number	Fitter Size
6"	1165 GTO	3 1/4"



6 3/4" Tinted Jelly Jars

Color	Catalog Number	Height	Fitter Size
Blue	26-1 GO	7"	3 1/4"
Red	26-2 GO	7"	3 1/4"
Clear Prismatic	26-4 GO	7"	3 1/4"
Frosted	26-5 GO	7"	3 1/4"
Amber	26-8 GO	7"	3 1/4"



Clear Glass Cylinders

Height	Catalog Number	Fitter Size
5"	9265 GTO	3 1/4"
7"	1920 GTO	3 1/4"
8"	427/20-4 GTO*	4"
8"	427/20-5 GTO*	4"

*-4 Clear , -5 frosted


ALUMINUM SHADES AND ACCESSORIES

RLM SHADES



CATALOG #	SIZE
33 shade only	6"
23/7 shade only	7"
23/10 shade only	10"
23/14 shade only	14"
23/16 shade only	16"
23/19 shade only	19"
23/24 shade only	24"

RLM WIRE GUARDS



CATALOG #	SIZE
WG 10	10"
WG 12	12"
WG 14	14"
WG 16	16"
WG 19	19"
WG 24	24"

#30 WIRE GUARDS



CATALOG #	DESCRIPTION
WGGH 1	#30 WIRE GUARD, GLASS, HOLDER
WG 5	# 30 WIRE GUARD & HOLDER ONLY
WG 6	1920 GLASS & HOLDER ONLY
WG 7	#30 WIRE GUARD & GLASS ONLY
WG5C	#30 WIRE GUARD ONLY


THREADED GLOBE AND HOLDER



CATALOG #	DESCRIPTION
G6-3	6" white threaded glass globe and holder

Hi-hat Conversion Kits


Hi-Hat Lamp Extender w/Hi-Hat Cover & Swivel



1151-7 Illustrated

Cover size	7"	9"	10"
# Lights			
1	1151-7	1151-9	1151-10
2	1152-7	1152-9	1152-10
3	1153-7	1153-9	1153-10
4	1154-7	1154-9	1154-10

Hi-Hat Lamp Extender w/ swivel



Cat # 1151 -One light


Standard finish White
Other colors available.
PB, Chrome on special
quotation.

Longer or shorter stems
available on request.

1151

Hi-Hat extenders and socket multipliers can be ordered with bullets or cans to cover the bulbs. See Pages 71 through 76 for available covers. 150 Watt maximum

Hi-Hat Lamp extender & Multiplier w/Swivel




1152 Illustrated

Standard finish White
Other colors available.
PB, Chrome on special
quotation.

Longer or shorter stems
available on request

Catalog #1152- 2 Lights
Catalog #1153- 3 Lights
Catalog #1154- 4 Lights
150 Watt Maximum

Fan & Beam light Multiplier w/Swivel




1152F Illustrated

Standard finish White
Other colors available.

Catalog #1152F- 2 Lights
Catalog #1153F- 3 Lights
Catalog #1154F- 4 Lights
150 Watt maximum

Blank up kit or flush mount kit



Catalog Number 10007 7
Catalog Number 10009 9
Catalog Number 10010 10

Blank up/ flush mounting kit consists of:

- | | |
|------------------------|-----------------------|
| 1 Cover Plate | 2 1/8 Lock nuts |
| 1 Cross Bar | 2 Self tapping screws |
| 1 Male plug with leads | 1 1/8 Nipple |

Cover plate finishes: White standard
Painted colors on request



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411


Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com


Cat #38-1151

1/150 R 40




Cat # 59-1151

1/150 R 40




Cat # 38-1152

2/150 R 40



Cat # 59-1152





Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583

Fax (516) 868-4609

Web Page: www.primelite-mfg.com

Banners & Arms Accessories

	Catalog Number	Description
	100-24	24" ½ IPS stem Banner Holder
	101	5 ½" high x 2 ¼" wide x 2 7/8" extension Banner Post Adapter
	102	Banner Ring
	103	Cable Support
	1000	Electrical Box
	ESW	1/2 ESW
		Arm Extension up to 30"
		Arm Extension up to 48"
		Arm Extension up to 84"

Post Accesories

	Catalog Number	Description
	EE	Photo sensor installed
	GL	Grounding Lug*
	HH	Hand Hole

Ladder Rests

	LR	Plastic ladder rest
	ALR	Aluminum ladder rest
	CLR	Cast Aluminum ladder rest



Primelite Manufacturing Corp.

407 South Main St.
Freeport, NY. 11520

Phone (516) 868-4411

Phone (800) 327-7583


Fax (516) 868-4609

Web Page: www.primelite-mfg.com

Convenience Outlet

	PCO	Installed
	PCO	Uninstalled

Shoe Base Covers

	6102	Aluminum shoe base cover to slides over a 3" round post
	6103	Splitted aluminum shoe base cover for a 3" round post
	6501	24" x 13" bottom x 5 1/2" top to fit a 3" post Black Polyethylene Base Cover
	6503	Bottom Diameter: 8" Top Diameter: 3" Total Height: 26" Cast aluminum base cover
	Custom Shoe Base	Different sizes and hole configurarions available

Post Caps

	6104	Round post cap close top of pole
	6105	Round post cap 1/2 female top
	6106	Round post cap 3/4 female top
	6401	Square post cap
	6402	Square post cap 1/2 female top
	6403	Square post cap 3/4 female top

+For UL listing on post over 8 feet, post must have grounding lug and access door; these are not available on light gauge posts.

1/3 OPTIONS

For 3-inch posts / poles



10059-3

H: 7.5" W: 3.5"

Street Pole or Sign Post Cap/Finial Decorative Olympic Flame Style for 3" post



10060-3

H: 7.5" W: 4"

Street/Sign Pole or Post Cap/Finial Acorn Shape for 3" post



10061-3

H: 6" W: 4"

Street/Sign Pole or Post Cap/Finial Ball Shape for 3" post

1/4 OPTIONS

For 4-inch posts / poles



10059-4

H: 7.5" W: 4.5"

Street Pole or Sign Post Cap/Finial Decorative Olympic Flame Style for 4" post



10060-4

H: 7" W: 5"

Street/Sign Pole or Post Cap/Finial Acorn Shape for 4" post



10061-4

H: 6.5" W: 4.5"

Street/Sign Pole or Post Cap/Finial Ball Shape for 4" post

/3 OPTIONS

For 3-inch posts / poles



10066/3

H: 7.75" W: 5.75"

Star Finial for 3" pole

/4 OPTIONS

For 4-inch posts / poles



10066/4

H: 7.75" W: 5.75"

Star Finial for 4" pole



10067/4

H: 9.25" W: 4.5"

Pine Finial for 4" pole



10068/3

H: 6" W: 3.5"

Ball Finial for 3" pole



10068/4

H: 7" W: 4.5"

Ball Finial for 4" pole



10069/3

H: 6.5" W: 3.5"

Acorn Finial for 3" pole



10069/4

H: 8" W: 4.5"

Acorn Finial for 4" pole

DECORATIVE SLIPOVER POLE BASES

Sec G Page 107

BASE 10070



SIZE H: 24.5" W: 7.25"
MATERIAL Cast Aluminum

BASE 10071



SIZE H: 24" W: 9"
MATERIAL Cast Aluminum

BASE 10072



SIZE H: 4" W: 7"
MATERIAL Cast Aluminum

BASE 10073



SIZE H: 18" W: 7.5"
MATERIAL Cast Aluminum

BASE 10074



SIZE H: 24" W: 9.25"
MATERIAL Cast Aluminum

BASE 10075



SIZE H: 16.75" W: 11"
MATERIAL Cast Aluminum

BASE 10076



SIZE H: 15.75" W: 12.75"
MATERIAL Cast Aluminum

BASE 10077



SIZE H: 16" W: 12.5"
MATERIAL Cast Aluminum

DECORATIVE SLIPOVER POLE BASES

Sec G Page 108

BASE 10078



SIZE H: 14.25" W: 11"

MATERIAL Cast Aluminum

BASE 10079



SIZE 4" base to 3" OD post adapter

MATERIAL Cast Aluminum

BASE 10080



SIZE H: 23.5" W: 8.5"

MATERIAL Cast Aluminum

BASE 10081



SIZE H: 19.5" W: 8"

MATERIAL Cast Aluminum

POLE COMPATIBILITY

3" poles: Bases 10070-10073

4" poles: Bases 10074-10078

3" pole with Bases 10074-10078: Requires Adapter Base 10079

4" square poles only: Bases 10080 and 10081